

EAVE FLASHING. SEE
DETAIL BELOW FOR
CAULKING PATTERN

HAND CRIMP &
CAULK 10". SEE
DRAWING 2

CLEAT IF EAVE FLASHING
FACE IS MORE THAN 4" OR
EXTREME CONDITIONS.

#10-13 X 1"
FASTEN 12" O.C.

FIELD NOTCH 1" AND HEM
UNDER DRIP.

1 BEAD OF CONTINUOUS SEALANT OR TAPE ON DRIP



7670 Mikron Drive
Stanley, NC 28164
704-820-3110

SUBJECT: LOCKING EAVE FLASHING


SYSTEM: **MRS SYSTEM 3000**


DATE:

SCALE: NONE

REV:

DRAWING
NO.
4





METAL ROOFING
Systems, Inc

7670 Mikron Drive
Stanley, NC 28164
704-820-3110

SUBJECT: RAKE — GABLE FLASHING


SYSTEM: **MRS SYSTEM 3000**


DATE:


SCALE: NONE


REV:


DRAWING
NO
6





 METAL ROOFING Systems, Inc	7670 Mikron Drive Stanley, NC 28164 704-820-3110		SUBJECT: FLOATING VALLEY		DRAWING NO. 8
			SYSTEM: MRS SYSTEM 3000		
	DATE:	SCALE: NONE	REV:		





METAL ROOFING
Systems, Inc

7670 Mikron Drive
Stanley, NC 28164
704-820-3110

SUBJECT: SIDEWALL FLASHING


SYSTEM: **MRS SYSTEM 3000**

DATE:

SCALE: NONE

REV:

DRAWING NO
10



METAL ROOFING
Systems, Inc

7670 Mikron Drive
Stanley, NC 28164
704-820-3110

SUBJECT: VENTED RIDGE

SYSTEM: **MRS System 3000**

DATE:

SCALE: NONE

REV:

DRAWING
NO.
11